


OPTONICA

Displays

Catalogue 2020



LED DISPLAYS AND STAGE LIGHTING EFFECTS



LED DISPLAYS and STAGE LIGHTING

LED Displays have large variety of applications – for commercial use, information boards and other decorative purposes, with wide customization options.

Features:

- High power and flexible applications
- For commercial and public use
- Different options for resolutions
- Indoor and outdoor use
- Easy to install and maintain
- Low energy consumption

Application:

- Stadiums and concerts
- Indoor music halls
- Commercial outdoor use




LED Displays
Module Indoor

SKU: 631 P3 Size 3800156606319
 SKU: 601 P4 Size 3800156606012
 SKU: 602 P5 Size 3800156606029



	P3	P4	P5
Pixel pitch	3 mm	4 mm	5 mm
Module size	192x192 mm	256x128 mm	320x160 mm
Module pixels	64x64 pixel	64x32 pixel	64x32 pixel
Brightness	1100cd/m ²	1100cd/m ²	1100cd/m ²
Refresh rate	1920 Hz	1920 Hz	1920 Hz
Drive mode	1/32 Scan	1/16 Scan	1/16 Scan
Module Power	16.5W	16.5W	17W
Working Temp.	-20°C/+50°C	-20°C/+50°C	-20°C/+50°C
Pixel Composition	SMD 3in1 RGB	SMD 3in1 RGB	SMD 3in1 RGB
Life Span	50 000 h	50 000 h	50 000 h



LED Display Cabinet
Fix INDOOR Ver 2.0

SKU: 610 P3 Size 3800156606104
 SKU: 611 P4 Size 3800156606111
 SKU: 612 P5 Size 3800156606128



	P3	P4	P5
Pixel pitch	3 mm	4 mm	5 mm
Display size	960x960mm	768x768mm	960x960mm
Module size	192x192mm	256x128mm	320x192mm
Brightness	2000cd/m ²	2000cd/m ²	2000cd/m ²
Pixel Density	111 111dots/ m ²	62 500dots/ m ²	40 000dots/ m ²
Drive mode	1/32 Scan	1/16 Scan	1/16 Scan
Refresh rate	1920 Hz	1920 Hz	1920 Hz
Working Temp.	-20°C/+50°C	-20°C/+50°C	-20°C/+50°C
MAX Power	750W	750W	750W
Life Span	50 000 h	50 000 h	50 000 h

LED Displays
Module Outdoor

SKU: 603 P4 Size 3800156606036
 SKU: 604 P5 Size 3800156606043
 SKU: 606 P6 Size 3800156606050
 SKU: 605 P8 Size 3800156606067




	P4	P5	P6	P8
Pixel pitch	3 mm	3 mm	3 mm	3 mm
Module size	256x128 mm	320x160 mm	196x196 mm	256x128 mm
Module pixels	64x32pixel	64x32 pixel	32x32 pixel	32x16 pixel
Brightness	5500cd/m ²	5500cd/m ²	5500cd/m ²	5500cd/m ²
Refresh rate	1920 Hz	1920 Hz	1920 Hz	1920 Hz
Drive mode	1/16 Scan	1/16 Scan	1/16 Scan	1/4 Scan
Module Power	35W	39W	26W	27W
Working Temp.	-20°C/+50°C	-20°C/+50°C	-20°C/+50°C	-20°C/+50°C
Pixel Composition	SMD 3in1 RGB	SMD 3in1 RGB	SMD 3in1 RGB	SMD 3in1 RGB
Life Span	50 000 h	50 000 h	50 000 h	50 000 h



LED Display Cabinet
Fix INDOOR Ver 2.0

SKU: 638 P3 Size 3800156606388
 SKU: 639 P4 Size 3800156606395
 SKU: 640 P5 Size 3800156606401



	P3	P4	P5
Pixel pitch	3 mm	4 mm	5 mm
Display size	960x960mm	768x768mm	960x960mm
Module size	192x192mm	256x128mm	320x192mm
Brightness	2000cd/m ²	2000cd/m ²	2000cd/m ²
Pixel Density	111 111dots/ m ²	62 500dots/ m ²	40 000dots/ m ²
Drive mode	1/32 Scan	1/16 Scan	1/16 Scan
Refresh rate	1920 Hz	1920 Hz	1920 Hz
Working Temp.	-20°C/+50°C	-20°C/+50°C	-20°C/+50°C
MAX Power	750W	750W	750W
Life Span	50 000 h	50 000 h	50 000 h




LED Display Cabinet
Fix OUTDOOR

SKU: 617 P4 Size 3800156606173
 SKU: 618 P5 Size 3800156606180
 SKU: 619 P8 Size 3800156606197



	P4	P5	P8
Pixel pitch	5 mm	5 mm	8 mm
Display size	768x768mm	960x960mm	768x768mm
Module size	256x128mm	160x160mm	256x128mm
Brightness	5500cd/m ²	5500cd/m ²	5500cd/m ²
Pixel Density	62 500dots/ m ²	40 000dots/ m ²	15 625dots/ m ²
Drive mode	1/8 Scan	1/8 Scan	1/8 Scan
Refresh rate	1920 Hz	1920 Hz	1920 Hz
Working Temp.	-20°C/+50°C	-20°C/+50°C	-20°C/+50°C
MAX Power	800W	800W	800W
Life Span	50 000 h	50 000 h	50 000 h




LED Displays
Rental INDOOR

SKU: 620 P2.5 Size 3800156606203
 SKU: 613 P4 Size 3800156606135
 SKU: 614 P5 Size 3800156606142



	P2.5	P4	P5
Pixel pitch	2.5 mm	4 mm	5 mm
Display size	640x640mm	768x768mm	960x960mm
Module size	160x160mm	256x128mm	320x160mm
Brightness	2000cd/m ²	2000cd/m ²	2000cd/m ²
Pixel Density	160 000dots/ m ²	62 500dots/ m ²	40 000dots/ m ²
Drive mode	1/16 Scan	1/16 Scan	1/16 Scan
Port Type	HUB75	HUB75	HUB75
Working Temp.	-20°C/+50°C	-20°C/+50°C	-20°C/+50°C
MAX Power	600W	600W	750W
Life Span	50 000 h	50 000 h	50 000 h




LED Displays
Rental OUTDOOR

SKU: 615 P4 Size 3800156606159
 SKU: 616 P5 Size 3800156606166



	P4	P5
Pixel pitch	4 mm	5 mm
Display size	768x768mm	960x960mm
Module size	256x128mm	320x160mm
Brightness	7500cd/m ²	7500cd/m ²
Pixel Density	62 500dots/ m ²	40 000dots/ m ²
Drive mode	1/8 Scan	1/8 Scan
Port Type	HUB75	HUB75
Working Temp.	-20°C/+50°C	-20°C/+50°C
MAX Power	600W	750W
Life Span	50 000 h	50 000 h


LED Display Screen
OUTDOOR STADIUM

SKU: 801 P5 Size 3800156673120

SKU: 622 P10 Size 3800156673120



DC 5V



150°



IP65

	P5	P10
Pixel pitch	5 mm	10 mm
Module size	320x160mm	320x160mm
Module pixels	64x32 pixel	32x16 pixel
Brightness	7500cd/m ²	7500cd/m ²
Pixel Density	40 000dots/ m ²	10 000dots/ m ²
Drive mode	1/8 Scan	1/4 Scan
Port Type	HUB75	HUB75
Working Temp.	-20°C/+50°C	-20°C/+50°C
MAX Power	700W	700W
Life Span	50 000 h	50 000 h


LED Displays
INDOOR Poster Display

SKU: 805 P2.5 Size 3800156673120

SKU: 621 P3 Size 3800156606210

SKU: 806 P4 Size 3800156673120



DC 5V




150°



IP20

	P2.5	P3	P4
Pixel pitch	2.5 mm	3 mm	4 mm
Module size	320x160 mm	192x192 mm	256x128 mm
Module pixels	128x64 pixel	64x64 pixel	64x32 pixel
Brightness	2000cd/m ²	2000cd/m ²	2000cd/m ²
Pixel Density	160 000dots/ m ²	111 111dots/ m ²	62 500dots/ m ²
Drive mode	1/32 Scan	1/32 Scan	1/32 Scan
Port Type	HUB75	HUB75	HUB75
Working Temp.	-20°C/+50°C	-20°C/+50°C	-20°C/+50°C
Pixel Composition	SMD 3in1 RGB	SMD 3in1 RGB	SMD 3in1 RGB
Life Span	100 000 h	100 000 h	100 000 h


LED Displays
STAGE FLOOR

SKU: 802 P3.91 Size 3800156673120

SKU: 803 P4.81 Size 3800156673120

SKU: 804 P5.95 Size 3800156673120



DC 5V



150°



IP65

	P3.91	P4.81	P5.95
Pixel pitch	3.91 mm	4.81 mm	5.95 mm
Module size	250x250 mm	250x250 mm	250x250mm
Module pixels	64x64 pixel	52x52 pixel	42x42pixel
Brightness	7500cd/m ²	7500cd/m ²	7500cd/m ²
Pixel Density	65 536dots/m ²	43 264dots/m ²	28 224dots/m ²
Drive mode	1/8 Scan	1/13 Scan	1/8Scan
Port Type	HUB75	HUB75	HUB75
Working Temp.	-20°C/+50°C	-20°C/+50°C	-20°C/+50°C
MAX Power	700W	700W	700W
Life Span	50 000 h	50 000 h	50 000 h



IP20

LED DISPLAYS
43 inch IR touch

SKU: 671 43inch 3800156673120

CPU: Bay Trail-D Celeron Quad-core J1900 2.0GHZ

Chipset: Intel Bay trail SOC

GPU Integrate: Intel HD Graphics

Display output : VGA, built-in VGA pin, HDMI, HDMI pin, LVDS

Memory: DDR3 2GB

Hard drive: 32G Hard drive



IP20

LED DISPLAYS
43 inch capacitive touch

SKU: 673 43inch 3800156673120

CPU: Bay Trail-D Celeron Quad-core J1900 2.0GHZ

Chipset: Intel Bay trail SOC

GPU Integrate: Intel HD Graphics

Display output : VGA, built-in VGA pin, HDMI, HDMI pin, LVDS

Memory: DDR3 2GB

Hard drive: 32G Hard drive



**SENDING CARD
FOR LED DISPLAYS**

SKU: 650 3800156606319
SKU: 651 3800156606012



SKU No.	650
Input Resolution	1280x1024,1024x1200,1600x848
Capacity	1.3 milion pixels
Supply Voltage	5V
Control Method	USB Interface
Video Interface	DVI
Audio Interface	3.5mm
Video Format	RGB
Output Interface	2 Ethernet ports
Bit Depth	8bit

651
1920x1200,2048x1152,2560x96
2.3 milion pixels
5V
USB Interface
HDMI/DVI
HDMI/3.5mm
RGB ,YCrCb4:2:2,YCrCb4:4:4
4 Ethernet ports
8/10/12bit

**ALL-IN-1 CONTROLLER
LED VIDEO PROCESSOR WITH SDI**



Product Type : Video Controller
Inputs : HDMI, DVI, VGA x 2, CVBS x 2, DP, SDI
Outputs : Ethernet port x 4
Loading Capacity : 2.35 million pixels
Maximum pixel CLK : 165MHz
Video Loop : DVI LOOP, SDI LOOP
Video Monitor : VGA OUT, DVI OUT
Communication Mode: USB/LAN
Image Mosaic : Support
Crop Settings : Support
PIP : Support



SKU: 656 3800156606920



**RECEIVING CARD
FOR LED DISPLAYS**



SKU: 652 3800156606319
SKU: 653 3800156606012
SKU: 654 3800156606319
SKU: 655 3800156606012



SKU No.	652	653	654	655
Resolution	512 x 256	256 x 226	256 x 226	512x256
RGB Data Output	32 Groups	24 Groups	24 Groups	32 Groups
Interface	16 x HUB75	8 x HUB75	12 x HUB75	16 x HUB75

**Power Supplies
Metal 5V output**




Watts	200W	300W
Input Voltage	220V	220V
Output Voltage	DC:5V	DC:5V
Current	40A	40A
Material	Metal	Metal
Dimmension	190x80x30mm	190x80x30mm

SKU: 6191 200W 3800156606319
SKU: 6192 300W 3800156606012



Accessories





18*10W Flat aluminium RGBW LED PAR Light

Voltage: AC90-260V 50/60Hz
 Power: 180W
 Light source: 18*10W RGBW led par light
 LED life: 50,000 hours.
 Lens degree: 15° 25° , 45° (optional)
 DMX channel :4/8CH
 Control Mode: Auto , Sound , DMX512 , Master-slave
 Strobe: 0 ~ 20 times / sec.

SKU: 683 3800156606838



7*10w Mini RGBW LED PAR Light

Voltage: AC100~240V 50~60Hz
 Power consumption: 70W
 Light source: 7*10W RGBW 4in1 LED
 Beam angle: 15° 25° 40° optional
 DMX channels: 7 CHS
 Function: DMX AutoSound Master-slave, strobe ,dimmer
 Housing Material : plastic
 Working Environment: -20~40
 Packing size: 22.5*10*22.5Cm (1pc/CTN))

SKU: 691 3800156606913



18*10W Flat aluminium RGB LED PAR Light

Voltage: AC90-260V 50/60Hz
 Power:180W
 Light source: 18x 10W 4 in 1 LED
 LED life: 50,000 hours.
 Lens degree: 15° 25° , 45° (optional)
 DMX channel :4/8CH
 Control Mode: Auto , Sound , DMX512 , Master-slave
 Strobe: 0 ~ 20 times / sec.

SKU: 943 3800156609433



7*10w Remote Mini RGB+WW LED PAR Light

Voltage: AC100~240V 50~60Hz
 Power consumption 70W
 Light source: 7*10W RGB+WW 4in1 LED
 Beam angle: 25° optional
 DMX channels: 4/6CH
 Function: DMX, Remote, Auto, Sound, Master-slave, Strobe,Dimmer
 Housing Material : Plastic
 Protection power :IEC power in and out Working Environment: -20~40
 Packing size: 22.5*10*22.5Cm (1pc/CTN)

SKU: 692 3800156606920



36*3W LED PAR Light

Voltage: AC100-260V 50Hz/60Hz
 Consumption: 50W/120W
 Lamp: 3W*36* LED lampR12G12B12
 Channel: 7CH
 Mode of control: DMX512, automatic, voice active.
 Function: Can make magic, color mixed, charming effect
 Packing size: 290*290*410mm

SKU: 690 3800156606906



7x12W Waterproof RGB 6IN1 LED PAR Light Battery - Wireless



Battery

Waterproof 7x12W RGB 6IN1 Battery Wireless Led Par
 Light source: 7pcs 15w LED 4in1 mixing color
 Beam Angle: 25°
 Dimmer: 0-100% dimmer
 Strobe rate:0-24HZ
 Working Environment: -20-40
 DMX Channels: 2 DMX modes, 4channels mode & 8 channels mode
 Control Mode: DMX512,Master-slave,Sound,Auto,Wireless,remote.
 Battery type: Lithium Ion
 Battery Charge Time: 3hours(full power)
 Battery Life: 3.5(all on) hours,14 (single Color) hours
 Battery Power: 24V, 5Ah
 Wireless effective distance: 400meters

SKU: 940 3800156609402



RGB



IP54

7x8W Waterproof RGB 6IN1 LED PAR Light Battery - Wireless



Battery

Light source: 7pcs 8w LED 4in1 mixing color
 Beam Angle: 25°
 Dimmer: 0-100% dimmer
 Strobe rate:0-24HZ
 Working Environment: -20-40
 DMX Channels: 2 DMX modes, 4channels mode & 8 channels mode
 Control Mode: DMX512,Master-slave,Sound,Auto,Wireless,remote.
 Battery type: Lithium Ion
 Battery Charge Time: 3hours(full power)
 Battery Life: 3.5(all on) hours,14 (single Color) hours
 Battery Power: 24V, 5Ah
 Wireless effective distance: 400meters

SKU: 941 3800156609419



RGB



IP54

12x10W Waterproof RGBWA+UV 6IN1 LED PAR Light



Voltage: AC100-240V 50Hz-60Hz
 Consumption: 150W
 LED: 12pcs 10W RGBWA+UV 6 in1 LED
 Channel: 6CH/9CH
 Mode of control: DMX512, Auto , Master-slave
 Function: Can make magic, color mixed, charming effect


SKU: 945 3800156609457



RGB-WA



IP65



9*10W Wifi control Waterproof RGBA+UV 6 in 1



Battery

Power Supply: AC 100-240V/50-60Hz
 Power consumption: 90W
 Light source: 9pcs LED RGBWA+UV 6in1 mixing color
 Beam Angel: 15°
 Dimmer: 0-100% dimmer
 Strobe rate:0-24HZ
 Working Environment: -20-40
 DMX Channels: 2 DMX modes, 6channels mode & 10 channels mode
 Control Mode: DMX512,Master-slave,Sound,Auto,Wireless,remote, wifi
 Battery type: Lithium Ion
 Battery Charge Time: 6 hours
 Battery Life: (all on) 4 hours, (single Color) 24hours
 Battery Power: 12V, 25Ah

SKU: 932 3800156609327



RGB+UV



IP54

24X3W RGB 3IN1 LED Wall Washer Battery - Wireless



Battery

Power Supply: AC 100-240V/50-60Hz
 Power consumption:80W
 Light source: 24pcs*3w LED RGB 3in1 mixing color
 Beam Angle: 10/20/25 degree
 Dimmer: 0-100% dimmer
 Strobe rate:0-24HZ
 Control Mode: DMX512,Master-slave,Sound,Auto, remote
 Build-in more than 9 build-in programs
 Generate endless effects with built-in, automated programs
 Product size: 1030x62x58mm

SKU: 936 3800156609365



RGB+W



IP20

4x10W Wifi Control RGB 6IN1 Charging F Case



Battery

Power Supply: AC 100-240V/50-60Hz
 Power consumption: 40W
 Light source: 4pcs LED RGBWA+UV 6in1 mixing color
 Beam Angle: 15°
 Dimmer: 0-100% dimmer
 Strobe rate: 0-24HZ
 DMX Channels: 2 DMX modes, 6channels mode & 10 channels mode
 Control Mode: DMX512, Master-slave, Sound, Auto, Wireless, Wifi, Remote
 Battery type: Lithium Ion
 Battery Charge Time: 3 hours (full power)
 Battery Life: (all on) 6hours, (single Color) 36hours
 Battery Power: 12V, 10Ah
 Wireless effective distance: 400meters
 Product size: 140*140*200mm



RGB+WA



IP20

SKU: 935 3800156609358

Beam Moving Head Double Prism



Voltage: 100-240V 50/60Hz
 Power: 230W
 Channel: 16ch
 Light source: 230W Lamp
 Gobo wheel: 17 metal gobos+white
 Color wheel: 14 colors+white
 8/16prism/24prism optional, prism rotation
 Lens : 6-layer optic glass lens
 Motor : 2-phase step motors
 Features: moving more smoothly and no shake
 The channel list is same with Clay Paky
 Display : Roller Button screen
 Size: 410x460x510mm



IP20

SKU: 685 3800156606852

9X10W RGB 6IN1 LED PAR Light Charging F Case - Wireless Transmitter



Battery

Power consumption: 90W
 Light source: 9pcs LED RGBWA+UV 6in1 mixing color
 Beam Angel: 15°
 Dimmer: 0-100% dimmer
 Strobe rate: 0-24HZ
 DMX Channels: 2 DMX modes, 6channels mode & 10 channels mode
 Control Mode: DMX512, Master-slave, Sound, Auto, Wireless.
 Battery type: Lithium Ion
 Battery Charge Time: 6 hours
 Battery Life: (all on) 4 hours, (single Color) 24hours
 Battery Power: 12V, 25Ah
 Wireless effective distance: 400meters



RGB+WA



IP20

SKU: 937 3800156609372

Compact Mini Beam 7R Moving Head Light



Voltage: 100-240V 50/60Hz
 Power: 250W
 Channel: 16ch
 Light source: 230W Lamp
 Gobo wheel: 14 metal gobos+white
 Color wheel: 13 colors+white
 8facet prism, prism rotation
 Lens : 6-layer optic glass lens
 Motor : 2-phase step motors
 Features: moving more smoothly and no shake
 The channel list is same with Clay Paky
 Size: 310x220x440mm



IP20

SKU: 686 3800156606869

6X10 RGB 6in1 Battery LED PAR Light



Battery

Power consumption: 60W
 Light source: 6pcs LED RGBWA+UV 6in1 mixing color
 Beam Angel: 30°
 Dimmer: 0-100% dimmer
 Strobe rate: 0-24HZ
 DMX Channels: 2 DMX modes, 6channels mode & 10 channels mode
 Control Mode: DMX512, Master-slave, Sound, Auto, Wireless.
 Battery type: Lithium Ion
 Battery Charge Time: 4 hours
 Battery Life: (all on) 3.5hours, (single LED) 21hours
 Battery Power: 12V, 15Ah
 Wireless effective distance: 400meters



RGB+WA



IP20

SKU: 938 3800156609389

Beam Moving Head 330 15R



Power Supply: AC110v-240V 50/60hz
 Power: 350w
 Light source: 15R 330w lamp
 Ballast: electronic ballast
 Lens: 6-Layer option glass lens
 Beam angle parallel beam angel : 0-3.8°
 Channel: 16ch
 Color temperature: 8000K
 Prism: prism 1: Floral prism rotation, prism 2: 8 Prism rotation
 Gobo: 13 gobos+blank double rotation rainbow effect
 Colors 13 color+blank, single rotation rainbow effect
 Focus: option focus
 Mode of control: DMX512/Master-slave/Stand-alone /Auto mode
 Pan: 540degree (16bit) Electric correction
 Tilt: 270degree (16bit) Electric correction



IP20

SKU: 687 3800156606876



200W LED Spot Moving Head

Input Voltage: AC100-240V 50/60Hz
 Power: 200W
 Light Source: 1 LED (white) 200 W,
 Beam Angle: 16°
 Colors: 7 + white, split colors, continuous scroll at variable speeds
 Rotation wheel (1): 6 + open (5 aluminum + 1 glass), rotating, interchangeable, slot-n-lock, continuous scroll at variable speeds
 Static wheel (2): 8 + open (8 stamped), continuous scroll at variable speeds
 Prism: 3-facet round, bidirectional rotation at variable speeds
 Strobe Rate: 0 to 15 Hz
 DMX Channels: 10 or 16
 Control mode : DMX 512, master-slave , sound , Auto
 DMX connector : 3-pin XLR connectors IN/OUT
 Dimension: 290x194x432mm



Light



IP20

SKU: 681 3800156606814



60W LED Spot Moving Head

Voltage: 100-240V 50/60Hz
 Power:110W
 Beam angle:14 degrees
 Channel:15ch
 Light source: 60W high power White LEDs
 Color wheel: 7 colors+white
 Gobo Wheel 1: 8 Static gobo+open
 Gobo Wheel 2: 6 gobo+open 5 metal, 1 glass installed
 Prism: 3-facet prism
 Pan: 540°, 360°, 180°
 Tilt: 270°, 180°, 90°
 Size: 250x255x360mm



Light



IP20

SKU: 689 3800156606890



120W LED Spot Pattern Moving Head

Input Voltage: AC100-240V 50/60Hz
 Power: 120W
 Light Source: 1 LED (white) 120 W,
 Beam Angle: 16°
 Colors: 7 + white, split colors, continuous scroll at variable speeds
 Rotation wheel (1): 6 + open (5 aluminum + 1 glass), rotating, interchangeable, slot-n-lock, continuous scroll at variable speeds
 Static wheel (2): 8 + open (8 stamped), continuous scroll at variable speeds
 Prism: 3-facet round, bidirectional rotation at variable speeds
 Strobe Rate: 0 to 15 Hz
 Control mode : DMX 512, master-slave , sound , Auto
 Cooling : Efficient low noise fan cooling system
 DMX connector : 3-pin XLR connectors IN/OUT



Light



IP20

SKU: 684 3800156606845



7x40w LED Wash Moving Head RGBW Mixing Color

Input: 110-240 V, 50/60 Hz
 Power: 320W
 Light source: 7* 40W RGBW 4in1 mixing color LED wash moving head
 Control mode:DMX512,Auto,Master-slave,Sound
 Channel:17ch/12ch
 2DMX Modes:STD(17ch)/HSI(12ch)
 Function:the dyeing effect,stroke,zoom, the beam light effect
 Pan:540°(16bit)Electric correction
 Tilt:270°(16bit)Electric correction
 Zoom range:9°~ 50°
 Dimmer:0-100% dimmer
 Size:240x300x405mm



RGBW



IP20

SKU: 682 3800156606821



12x10w LED Moving Head RGBW

Power CON OUT

Voltage: AC 110-240V 50/60 Hz
 Power: 150W
 LED QTY: 12*10W RGBW 4in1 LED Moving Head Light
 Lumens: 4500+, Lux @2m 40500+
 Control: Master-Slave / Auto / Sound / DMX
 Channel control: 15CH
 Dimmer: 0-100%
 Flash: 0-20Hz
 Pan / Tilt: User -selectable Pan / Tilt ranges
 Pan/ Tilt: 540 degrees / 270 degrees
 Fine Turning: 8-16 bit
 Color: Black / White
 Size: 300x245x385mm



RGBW



IP20

SKU: 688 3800156606883

**19x15W AURA LED Beam Moving Head Light
Zoom RGBW**



Input Voltage: AC90-260V 50/60Hz
 Power Consumption: 300W
 Zoom range:8-28degree. Motor:3pcs
 Control mode:DMX512, master-slave, Sound, Auto
 Channel: 14/25CHs
 Beam(Primary LED array): provide the main output
 Aura(Secondary background LED array): illuminate the front of the head, provide local diffuse light output and can be set to contrast with the beam output.
 Beam: RGBW color control with color temperature control
 Aura: RGB control ; Dimming: 0-100% smoothly dimmer
 Strobe: 20t/s strobe effect with variable speed and pulse effects
 540° PAN and 270° TILT movement
 Size: 410x320x470mm

SKU: 693 3800156606937



Spark Firework Machine



Voltage: AC 110-240V 50/60 HZ
 Power: 400W
 Control: DMX, remote control
 Temperature: (-10/+50°C)
 Height: 1-5 m
 Spray direction: erect
 DMX Channel: 2
 NW: 9.5 kg

SKU: 902 3800156609020



4x12W LED Moving Head Light RGBW



Voltage: AC 100*240v 50/60 hz
 Power Consumption: 60w
 Lighting Source: 4*12w RGB+W
 RGBW color mixing
 DMX Channels: Two DMX channels model , 11 or 18
 Control Mode: Auto, Sound Active, Master/Slave, DMX 512
 Dimming: 0-100%
 Strobe: slow to fast
 Pan: 540 degrees, Tilt: 180 deagrees
 Size: 300x20x240mm

SKU: 933 3800156609334



Stage Fog Waterproof Spark Machine



Power: 400W
 Control: DMX, Remote control
 Temperature (-10/+50°C)
 Height: 1-4 meter
 Spray direction:fall
 DMX Channel: 2
 Machine Size: 200x200x180mm
 NW: 6.5KG

SKU: 903 3800156609037



LPG Fire Machine



Voltage: AC110-240V 50/60HZ
 Power: 250W
 Spary Height: 1-2 meter
 Control: DMX512/Electric Control/remote control
 DMX Channel: 1
 Gas: LPG fire gas bottle
 Machine Size: 420x165x200mm
 NW: 7KG

SKU: 904 3800156609044



Firebolt Fire Machine



Voltage: AC110-240V 50/60HZ
 Power: 250W
 Spary Height: 1-4 meter
 Control: DMX512/remote control
 DMX Channel: 4
 Gas: LPG Gas bottle
 Machine Size: 50x35x27CM
 NW:13KG

SKU: 905 3800156609051




Power CON IN



SKU: 679 3800156606791 SKU: 960 3800156609600

XLR 3PIN -Male , Female - LH P005A



SKU: 678 3800156606784 SKU: 963 3800156609631

Power CON OUT



SKU: 961 3800156609617 SKU: 962 3800156609624

Hook



SKU: 698 30mm 3800156606982
 SKU: 699 50mm 3800156606999

Safety Rope



SKU: 697 3800156606975

Fog Machine Hand-held CO2 Gun



DJ CO2 Gun only needs a container with CO2. Easy to operate. This product is recommended for DJs, discos, bars and parties.

JET DIST: 6 m
 NW: 3.2 kg

SKU: 901 3800156609013



CO2-FOG

Water Low Fog Machine



Voltage: AC110-240V 50/60HZ
 Power: 3000W
 Cover area: 150-200 square meter
 Control: DMX512/remote control/manual
 DMX Channel: 2
 Consumable materials: water+heavy fog liquid
 Capacity of fog tank: 3L
 Capacity of water tank: 15L
 Machine Size: 714x400x316mm
 GW: 52KG

SKU: 908 3800156609082



FOG

Dry Ice Machine 3000W



Voltage: AC110-240V 50/60HZ
 Power: 3000W
 Cover area: 100-200 square meter
 Control: Manual
 Consumable materials: Dry ice and water
 Machine Size: 660x 370x580mm
 NW: 16KG

SKU: 909 3800156609099



FOG

Fog Machine 900W



Voltage AC220V-240V 50/60HZ
 Power: 900W
 Control: remote control/wire control
 Re-heating time 5 mins
 Capacity of oil tanks 1.5kl
 Body color: black .with hanging bracket
 Machine Size: 36.5x18.5x17cm
 NW 3KG

SKU: 910 3800156609105



FOG

LED Fog Machine 900W



Voltage: AC110-240V 50/60HZ
 Power: 920W
 Control: remote control
 Re-heating time: 3 mins
 LED: 3WX6pcs
 Capacity of oil tanks 1.5kl
 Size: 385x230x140mm
 NW 4KG

SKU: 911 3800156609112



Light



FOG

Fog Machine 1000W



Voltage: AC110 - 240V 50/60HZ
 Power: 1000W
 Control: remote control/wire control
 Re-heating time: 5 mins
 Capacity of oil tanks 1 kl
 Size: 360x200x130mm
 NW: 4KG

SKU: 912 3800156609129



FOG

Fog Machine 1500W



Voltage AC110 240V 50/60HZ
 Power: 1500W
 Control: remote contro/DMX 512
 Re-heating time: 5 mins
 Capacity of oil tanks 3 kl
 Size 510x260x150mm
 NW: 6KG

SKU: 913 3800156609136



FOG

LED Fog Machine 1500W



Voltage: AC110-240V 50/60HZ
 Power: 1520W
 Control: remote contro/wire control/ time
 Re-heating time: 5 mins
 Capacity of oil tanks: 2.5 kl
 Machine Size: 540x330x260mm
 NW: 6KG

SKU: 914 3800156609143



Light



FOG



Fog Machine 3000W

Voltage: AC110~240V 50/60HZ
 Power: 3000W
 Control: DMX512/remote control
 Re-heating time: 5 mins
 Capacity of oil tanks: 5kl
 Size: 68×31×20CM
 NW: 13KG

SKU: 915 3800156609150



FOG



Portable Haze Machine

Voltage: AC110~240V 50/60HZ
 Power: 1500W
 Re-heating time: 45 sec
 Control: DMX512/ Remote control/Manual
 Use consumables: Water based haze liquid
 Capacity of oil tank: 2L
 Size: 325x153x340mm
 NW: 8KG

SKU: 916 3800156609167



HAZE



Hanging Type Haze Machine

Voltage: AC110~240V 50/60HZ
 Power: 1500W
 Re-heating time: 45 sec
 Control: DMX512/Manual/Remote control
 Use consumables: Water based haze liquid
 Capacity of oil tank: 2.5L
 Size: 304x300x225mm
 NW: 10KG

SKU: 917 3800156609174



HAZE



Oil Based Haze Machine

Voltage: AC110~240V 50/60HZ
 Power: 650W
 Re-heating time: 0 second
 Capacity of oil tank: 2.5L
 Control: DMX-512, remote control, Manual
 Machine size: 590x450x450mm
 NW: 23KG

SKU: 918 3800156609181



HAZE



Hand Confetti Machine



Voltage: AC110~240V 50/60HZ
 Confetti capacity: 0.5kg
 Control: Manual
 Use consumables: Bullion paper/Color paper
 Gas: Co2/N2
 Weight: 7kg
 Size: 970x300x210mm

SKU: 906 3800156609068



Confetti

LED Electric Confetti Machine



Voltage: AC110~240V 50/60HZ
 Power: 1236W
 Control: DMX 512, remote control
 Height of ejection: 6-8M
 DMX Channel: 7
 Confetti capacity: 0.5KG
 Size: 280x280x550mm
 NW: 8KG

SKU: 907 3800156609075



Light



Confetti


SUPPLIES FOR STAGE MACHINES



Spark Powder Fog Machine
SKU: 919 3800156609198



Colorfull Confetti
SKU: 920 3800156609204



Metalic Confetti - silver, golden, red, green, blue
SKU: 921 3800156609211



Liquid For Low Fog Machine - 4L
SKU: 922 3800156609228



Apollo smoke liquid - 5L
SKU: 923 3800156609235



Germany smoke liquid - 5L
SKU: 924 3800156609242



DJ Smoke liquid - 4.5L
SKU: 925 3800156609259



Disco No-1 Smoke liquid - 4L
SKU: 926 3800156609266



Disco No-2 Smoke liquid - 5L
SKU: 927 3800156609273



Show one smoke liquid - 5L
SKU: 928 3800156609280



Fast disappear fog liquid - 2L
SKU: 929 3800156609297



Water based haze liquid - 1L
SKU: 930 3800156609303



Oil based haze liquid - 1L
SKU: 931 3800156609310


SKU	Page No.
565	9
601	2
602	2
603	2
604	2
605	2
606	2
610	3
611	3
612	3
613	5
614	5
615	5
616	5
617	4
618	4
619	4
620	5
621	7
622	6
631	2
638	3
639	3
640	3
650	8

SKU	Page No.
651	8
652	8
653	8
654	8
655	8
671	7
678	18
679	18
681	16
682	17
683	10
684	16
685	15
686	15
687	15
688	17
689	17
690	11
691	11
692	11
693	18
697	18
698	18
699	18
801	6

SKU	Page No.
802	6
803	6
804	6
805	7
806	7
901	20
902	19
903	19
904	19
905	19
906	23
907	23
908	20
909	20
910	20
912	21
913	22
914	22
915	22
916	22
917	22
918	22
919	24
920	24
921	24

SKU	Page No.
922	24
923	24
924	24
925	24
926	24
927	24
928	24
929	24
930	24
931	24
932	13
933	18
935	14
936	13
937	14
938	14
940	12
941	12
943	10
945	12
960	18
961	18
962	18
963	18
6191	9
9192	9





www.optonaled.com